

Registered Office

C89-90, Lal Kothi Scheme, Janpath Jaipur (Rajasthan)India Ph.:+91-141-2743734. 2743934

Fax: +91-141-2743735

CIN No.: U14109RJ1949SGC000505

Corporate Office
4, Meera Marg,
Udaipur – 313 001

Ph.:-91-294-2428768, 2428763-67 Fax:+91-294-2428768, 2428770, 2428739 e-mail naveengupta.rsmml@rajasthan.gov.in

website: www.rsmm.com

PAN No: AAACR7857H TIN No. 08693902289

TENDER DOCUMENT

TO e_TENDER NO. RSMM _CO_MM_NIT_14_ 2016-17 Dated 25.10.2016

e- TENDERS ARE INVITED FROM REPUTED & ESTABLISHED
MANUFACTURERS/ AUTHORIZED DEALERS/ BONAFIDE DEALERS ETC. FOR
SUPPLY OF REPAIRING & MAINTENANCE (JOINING) ELECTRODES
(LOW HEAT) ON RATE CONTRACT BASIS TO SBU & PC (RP), JHAMARKOTRA
MINES, UDAIPUR.

S.N	Description	Date	Time	
1	Publishing Date	25.10.2016	5.30 p.m.	
2	Document Download/Sale Start Date	25.10.2016	6.00 p.m.	
3	Document Download /Sale End Date	23.11.2016	6.00 p.m.	
4	Bid Submission Start Date	25.10.2016	6.30 p.m.	
5	Bid Submission Closing Date	23.11.2016	6.00 p.m.	
6	Techno-Commercial Bid Opening Date	24.11.2016	3.30 p.m.	
7	Submission Demand Draft / Bankers cheque/ Bank Pay Orders of Tender Document Fee, Processing Fees and Bid Security	23.11.2016	Upto 6.00 p.m.	
9	Price Bid Opening Date	Will be intimated later on to the techno-commercially qualified bidders		
10	Websites for downloading tender documents/corrigendum etc.	www.rsmm.com, http://eproc.rajasthan.gov.in http://sppp.rajasthan.gov.in/		
11	Website for submission of tender/bid (only online)	http://eproc.rajastha		
12	Tender Document Fees	Rs. 1145/- (Inclusive of VAT) in favour of "Rajasthan State Mines & Minerals Limited" payable at Udaipur		
13	RISL Processing Fees	Rs. 1000/- in favour payable at Jaipur	of "MD RISL"	
14	Bid Security	Rs. 22,000/- in favour of "Rajasthan State Mines & Minerals Limited" payable at Udaipur		



Registered Office

C89-90, Lal Kothi Scheme, Janpath Jaipur (Rajasthan)India Ph.:+91-141-2743734. 2743934

Fax: +91-141-2743735

CIN No.: U14109RJ1949SGC000505

PAN No: AAACR7857H TIN No. 08693902289

Corporate Office

4, Meera Marg, Udaipur – 313 001 Ph.:-91-294-2428768, 2428763-67

Fax:+91-294-2428768, 2428770, 2428739 e-mail naveengupta.rsmml@rajasthan.gov.in

website: www.rsmm.com

e_TENDER NO. RSMM _CO_MM_NIT_14_ 2016-17 Dated 25.10.2016

NOTICE INVITING e-TENDER

e- Tenders in Two parts (Techno Commercial Part & Price Part) are invited from reputed & established manufacturers/authorized dealers/bonafide dealers etc. for Supply of Repairing & Maintenance (Joining) Electrodes (Low Heat) on Rate Contract basis to SBU & PC (RP), Jhamarkotra Mines, Udaipur.

S.N.	Desirable characteristics & strength	Size in mm.	Qty in kg.	Total Qty. in kg.
1	horro orrollont woldobility Chould produce		06 kgs.	
		3.15 mm.	06 kgs.	60 kgs.
	toughness and ductility. Should be suitable for combinations of similar and dissimilar steels and		42 kgs.	
	joining steels of different thicknesses. Should suit to weld dies, tool springs & cushion layers, joining dissimilar steels, machinable build-up and overlays. Welds should have minimum tensile strength of 85 kg/mm ² .	5.0 mm.	06 kgs.	
2	Low heat input. Should be able to weld all steels including heat-treatable types, difficult-to-weld types and those with unknown composition; nickel alloys and their dissimilar combinations. Deposits should be able to withstand stresses produced by thermal cycling or strains caused by weld shrinkage in massive sections. Should have	2.5 mm.	03 kgs.	30 kgs.
		3.15 mm.	03 kgs.	
		4.0 mm.	21 kgs.	oo kgs.
	excellent weldability. Welds should have toughness; resistance to corrosion, oxidation and thermal shocks. Tensile strength should be minimum 62 Kg/ mm2	5.0 mm.	03 kgs.	
3	Low heat input. Should be able to weld low alloy and high tensile steels. Should have excellent	2.5 mm.	20 kgs.	
	with the problems of sulphur in steel and other	3.15 mm.	20 kgs.	200 kgs.
	alloys added to base metal to improve		140	1180.

	machinability. Electrodes should be able to		kgs.	
	purge these porosity causing elements and other hidden defects from the molten pool by arc action. Welds should have excellent impact resistance, ductility and high strength should be minimum 57 kg/ mm2.	5.0 mm.	20 kgs.	
4	Low heat input. Should be alloyed for anti-wear, joining, cladding and compression service.		27 kgs.	
	Should have excellent weldability with extra high deposit yield. Weld should be completely machinable with tungsten carbide tools. Welds	3.15 mm.	28 kgs.	0.77
	should have excellent resistance to impact and scoring, high work hardening rate without		193 kgs.	275 kgs.
	deformation and fast deposition rate. Tensile strength should be minimum 60 kg/mm ² . Hardness as deposited should be 90-100 RB and work hardening 28-32 RC.	5.0 mm.	27 kgs.	
5	Should have smooth deposition with lowest heat input. Should have precisely controlled weld	2.5 mm.	20 kgs.	
	deposit ductility together to ensure complete freedom from cracking when joining dissimilar	3.15 mm.	20 kgs.	200 kgs.
		4.0 mm.	140 kgs.	
	minimum 58 kg/mm ² · And elongation 40-50 %.	5.0 mm.	20 kgs.	
6	ferrous and non-ferrous alloys except white metals. Should have excellent weldability. Should be suitable for building up broken or worn gear teeth, worn bearings, valve seats and pistons etc. Weld joints should have excellent	2.5 mm.	01 kg.	
		3.15 mm.	01 kg.	
		4.0 mm.	03 kgs.	06 kgs.
		5.0 mm.	01 kg.	
7	Low heat input. Should be able to weld all types of cast irons using even AC welding sets for in-	2.5 mm.	01 kgs.	
	situ welding. Welds should be free from porosity. Deposits should be dense with excellent machinability. Welds should have high tensile	3.15 mm.	01 kgs.	10 kgs.
overheating Minimum te	strength and high ductility. There should be no overheating or breakdown at rated current. Minimum tensile strength of weld joint should be 50 kg/mm2.	4.0 mm. 5.0 mm.	07 kgs. 01 kg.	
8	Low heat input. Should be able to weld heavy castings, long joints, repairing cracks, filling	2.5 mm.	1.5 kgs.	
	holes and building up missing sections of normal as well as heat treated aluminum. Weld metal should have rapid solidification, high strength,	3.15 mm.	1.5 kgs.	15 kgs.
		4.0 mm.	11	

1	versatility in horizontal and vertical welding. Minimum tensile strength of welds should be 24 kg/mm2.	5.0 mm.	kgs. 01 kg.	
e e r r t	Electrodes for joining/repairing Cast Iron parts e.g. gear box housing, motor foundations, repair of worn-out casings of water pumps etc. The electrode should be suitable for welding/repairing of all grade/types of cast iron (non-machinable). It should be suitable for use for thin & thick sections & also suitable for joining east iron to steel. Hardness: 45-50 HRC (10% tolerance on both plus and minus side) UTS: 30-35 (10% tolerance on both plus and minus side)	3.15 mm. 4.0 mm.	02 kgs. 02 kgs. 14 kgs. 02 kgs.	20 kgs.

For more details, visit us on website www.eproc.rajasthan.gov.in, www.sppp.rajasthan.gov.in or contact Sr. Manager (MM) at the above address.

(B.S. Gupta) General Manager (MM)

e_TENDER NO. RSMM _CO_MM_NIT_14_ 2016-17 Dated 25.10.2016

FOR SUPPLY OF REPAIRING & MAINTENANCE (JOINING) ELECTRODES (LOW HEAT) ON RATE CONTRACT BASIS TO SBU & PC (RP), JHAMARKOTRA MINES, UDAIPUR.

MINDS, CDIMI CIK.					
General	Instruction for preparation & submission of tender and				
	General Conditions of E-Tender				
Annexure- I	General profile of tenderer				
Annexure- II	Undertaking towards acceptance of all terms & conditions of				
	tender				
Annexure- III	Undertaking towards non suspension/non banning.				
Annexure- IV	Registration details as per Micro, Small & Medium Enterprises				
	Development Act,2006.				
Annexure- V	Details of taxes & duties offered in price bid				
Annorman VII	Charle list to technical anguification				
Annexure- VI	Check-list to technical specification				
Annexure-VII	Declaration by tenderer				
Annexure- VIII	B.G. Format.				
Annexure-A	Compliance with the Code of Integrity and No Conflict of Interest.				
Annexure-B	Declaration by the Bidder regarding Qualifications.				
Annexure-C	Grievance Redressal during Procurement Process and Form No. 1.				
Annexure-D	Additional Conditions of Contract.				

SECTION -1: Instructions for preparation & submission of e-Tender and Conditions of e-Tender:

Instructions for preparation & submission of tender:

- i) Tender shall be submitted online only through e-procurement portal of GoR i.e. www.eproc.rajasthan.gov.in.
- ii) No physical/offline Tender/bid shall be accepted.
- iii) Bid Security and Tender Document Fee shall be in the form of Demand Draft / Bankers Cheque drawan in favour of "Rajasthan State Mines & Minerals Limited" payable at Udaipur and shall be submitted to the office of the GM(MM), 4-Meera Marg, Udaipur upto schedule date and time as above.
- iv) **Processing Fee** shall be in the form of Demand Draft / Banker Cheque drawan in favour of " **MD RISL**" **payable at Jaipur** and shall also be submitted to the office of the GM(MM), 4-Meera Marg, Udaipur upto schedule date and time, as above
- v) Conditional tenders and casual letters sent by the bidders will not be

accepted.

- vi) Bidders are requested to read the instruction in the Tender Document/Bid before submitting the Tender/BID online.
- vii) The Tender Document is not transferable.
- viii) Bidders who wish to participate in this tender will have to be registered on http://eproc.rajasthan.gov.in. To participate in online tenders, bidders will have to procure Digital Signature Certificate (type II or III) as per Information Technology Act-2000 using which they can sign their electronic bids. Bidders can procure the same from any CCA approved certifying agency or may contact Government of Rajasthan e-procurement Cell, Department of IT&C for further assistance. Bidders who already have a valid Digital Certificate need not to procure a new Digital Certificate.
- ix) Contact details of Government of Rajasthan e-procurement Cell, Department of IT&C are:
 - Telephone No. 0120-4200462, 0120-4001002, 8826246593(Help Desk 10.00 AM to 6.00 PM on all working days), email: eproc@rajasthan.gov.in, Support-e proc @ nic.in. Address: e-procurement cell, RISL. Yojana Bhawan, Tilak marg, C-Scheme, Jaipur.
- x) Training for the bidders on the usage of e-Tendering system is also being arranged by RISL on regular basis. Interested bidders may contact e-Procurement Cell, RISL.
- xi) Bidder shall submit their offer on-line in electronic formats both for technocommercial and financial bid, however DD/Banker Cheque for Tender Fees, Processing Fees and Bid Security should be submitted offline (personally/post/courier) to the office of GM(MM) before scheduled date & time as mentioned in tender document. Scanned copies of DDs/ BCs should also be uploaded along with the online Bid.
- xii) Before electronically submitting the tenders, it should be ensured that all the tender papers including conditions of contract are digitally signed by the tenderer.
- xiii) Bidders are also advised to refer "Bidders manual" available under "Download" section for further details about the e-tendering process.
- xiv) All bidders are advised not to wait for last date and submit their tender/bid at earliest. The Company shall not be responsible for any interruption/technical snag in website and No extension in deposition of Tender/bid shall be allowed.
- xv) Tenderer shall be responsible for Supply of Conveyor Belts at Jhamarkotra mines and Jaisalmer site.
- xvi) Bidders shall have to furnish the legible/readable bid documents in the "covers" as prescribed in the document in PDF/jpg format. All the documents should be sealed & signed by the tenderer.
- xvii) In compliance to the Rajasthan Transparency in Public Procurement Act, 2012 and Rajasthan Transparency in Public Procurement Rule, 2013,

following annexures are enclosed:

- i) Annexure-A- Compliance with the Code of Integrity and No Conflict of Interest.
- ii) Annexure-B- Declaration by the Bidder regarding Qualifications.
- **iii)** Annexure-C- Grievance Redressal during Procurement Process and Form No. 1.
- iv) Annexure-D- Additional Conditions of Contract.

COVER-A

- i) Scanned Copies of Demand Draft / Bankers Cheque/ Bank Pay Orders towards Tender document Fees, Bid Security and processing fees.
- ii) Scanned copy of sealed & signed tender document towards acceptance of terms and conditions.
- iii) Authorisation in favour of a person signing tender document.
- iv) General profile of tenderer as per annexure-I, Undertaking towards acceptance of all terms & conditions of tender as per annexure-II and Undertaking towards non suspension/ non banning as perannexure-III.
- v) Registration details as per MSMED Act, 2006 as per annexure-IV.
- vi) Details of taxes & duties offered in price bid as per annexure-V. In case the tenderer is availing any exemption/ concession on ED,CST/VAT etc. the details of the same should be clearly provided and thesupporting document issued by the respective Govt. Deptt./agencies should be enclosed.

COVER-B

- i) Check-list to technical specifications for the tendered products as per annexure-VI alongwith product catalogue & technical details of offered products.
- ii) Supporting documents towards tenderer status.
- iii) Declaration by tenderer as per annexure-VII
- iv) Sealed and Signed copies of Annexure-A, Annexure-C, Annexure-D and Duly Filled, Sealed and Signed Annexure-B.

COVER-C

Price Bid in xls format.

2.0 SUBMISSION & OPENING OF TENDERS:

The online submission of bids on the e-procurement portal i.e. http://eproc.rajasthan.gov.in within the specified date and time will be the sole responsibility of the Tenderers. In case the date of opening of bids happens to be a holiday, then the bids shall be opened on the next working day.

Tenderers are requested to ensure submitting their tender online on e-procurement portal only and furnishing Demand Draft/Bankers

Cheque/Bank Pay Orders towards tender document fee/Bid Security/Processing Fees offline to the office of GM(MM) within the specified time & date of submission. Tenders in physical form (offline) will not be acceptable in any case.

Tenderers may note that they will not be able to submit their tenders online after the specified/ scheduled date & time of submission of bid document. Tenderers should also to ensure furnishing Demand Draft / Bankers Cheque/ Bank Pay Orders towards tender document fee/Bid Security/ Processing Fees to the office of GM(MM) within the specified time & date of submission. Failing which, their online bids will not be opened.

3.0 EXCEPTION & DEVIATION/ ACCEPTANCE OF ALL THE TERMS & CONDITION OF TENDER:

Tenderers are advised to submit their offer based on terms & conditions and specifications contained in the tender document and not to stipulate any deviations. Offer containing stipulations of deviations to the terms & conditions are liable to be ignored. However, in case it is absolutely unavoidable to deviate from tender conditions then the tenderers should mention the deviations at their risk of rejection only in Annexure- II. Deviations mentioned anywhere else in the offer shall be ignored without any consequences.

- i. Tenderer should mention the deviations, if any, at their own risk of rejection of their offer.
- ii. Deviations mentioned anywhere else in the offer shall be ignored without any consequences.
- iii. Tenders containing corrections and alterations are liable to be rejected unless all such corrections and alterations are legible, clear and signed by the tenderer. Tenders containing corrections and alterations are liable to be rejected unless all such corrections and alterations are signed by the tenderer.
- **4.0 SPECIFICATIONS & QUANTITY:** Repair & Maintenance (Joining) electrodes (Low Heat) for various welding jobs i.e. repairing / maintaining earthmoving equipment and plant welding work, to join, rebuild and hard face the components etc at our Jhamarkotra Mines based on desirable characteristics as per annexure-VI.

Tenderers are requested to offer one type of most suited electrode manufactured/ marketed by them for each type of welding application in the annexure and furnish the detailed technical specification, technical leaflet etc of each type of electrode offered.

On the basis of the technical details of the electrodes offered by the tenderer, the evaluation for selection will be made and offered prices of selected electrodes will be taken for further evaluation.

The approximate quantity of each type of electrodes is mentioned in Annexure - VI. The quantity mentioned herein above is tentative & indicative only. However, the supply of each type of electrodes will be taken as per actual requirement of RSMM on as and when required basis. The quantity may vary from the above indicative quantity and will be in phased manner during the currency of the contract. The supply is required at SBU-PC (RP), Jhamarkotra on f.o.r. destination basis.

5.0 PERIOD OF CONTRACT:

The period of contract will be one year from the date of issue of LOA/RC.

RSMML can extend the period of contract for further period of 3 months on same rate, terms and conditions.

6.0 DELIVERY TERMS: On "Door delivery" basis to our Jhamarkotra Mines, Jhamarkotra, Udaipur.

7.0 SCOPE OF SUPPLY:

- (i) The scope of supply shall be the delivery of stores by the supplier, in accordance with the agreed specifications, terms and conditions of the tender.
- (ii) The supplier shall be deemed to have carefully examined and have knowledge of the general and other conditions, schedules, drawings and all other documents forming part of the contract, and also to have satisfied himself as to the nature and character of the stores to be delivered under the contract.
- (iii) The supplier shall be entirely responsible for the performance of the contract in all respects according to the intent and meaning of the specification data etc. Any approval which involved in the contract (weather with or without test carried out by the supplier or Company) shall not bind the Company and notwithstanding any approval or acceptance given by the Company it shall be lawful for the Company to reject the material on arrival at site if it is found after inspection that the stores supplied by the supplier are not in conformity with the contract in all respects.
- **8.0 QUALITY OF ELECTRODE & APPLICABLE WARRANTY:** The tenderer shall warrant that offered stores shall be of highest grade and free from all defects, faults in material workmanship and manufacturing for a period of **six months** from the date of receipt.
- **9.0 AFTER SALES SERVICE:** The same shall be provided by the tenderer on as and when required by the consignee.
- **10.0 DEFECTIVE / SHORT SUPPLY / DAMAGED SUPPLY:** On receipt of intimation from RSMML units about the defective/ damaged / short supplied items, you will immediately attend this and shall ensure that correct material in proper quantity is made available to them timely without any extra cost to RSMML.

11.0 VALIDITY:

The tenderer shall keep the offer open for acceptance by RSMML for a minimum period of 120 **days** from the date of opening of tender (Part-I), within which period the tenderer shall have no right to withdraw, cancel, amend or modify his offer. In case of withdrawal/cancellation/ amendment/ modification in the offered tender, the Bid Security deposited by the tenderer shall stand forfeited. The validity period may be extended further, if required, by mutual consent from time to time.

In case, tenderer, after issuance of communication of acceptance of offer (LOA/RC) by RSMML, fails to execute the contract as per the conditions therein, such an event will be considered as the tenderer's calculated willful

breach of the contract. The cost & consequence in such cases shall be on the sole account of the tenderer. Moreover, RSMML have full right to claim damages thereof in addition to the forfeiture of Bid Security.

12.0 BID SECURITY, TENDER DOCUMENT FEES & PROCESSING FEES:

- a) The tenderer shall deposit (interest free) a sum of Rs. 22,000/- (Rupees Twenty Two Thousand only) as Bid Security in the form of Demand Draft / Bankers Cheque/ Bank Pay Orders payable to RSMML, Udaipur.
- b) Further, tenderers shall deposit a sum Rs. 1,145/- (inclusive of VAT) towards tender document fees and Rs. 1000/- towards processing fees by Demand Draft / Bankers Cheque/ Bank Pay Orders only to the office of GM(MM) within the specified date & time. The details of furnishing such financial instruments are elaborated in clause no. 1.0. Payments through Cash, Cheque or Bank Guarantee will not be accepted.

Demand Draft / Bankers Cheque/ Bank Pay Orders for Tender Fees, Processing Fees and Bid Security should be submitted offline (personally/post/courier) to the office of GM(MM) before scheduled date & time as mentioned in tender document. Scanned copies of Demand Draft / Bankers Cheque/ Bank Pay Orders should also be uploaded along with the online Bid. The tender document fees & processing fees are non-refundable.

c) The Bid Security shall be forfeited in case of :

- i) If tenderer unsolicited revises and/or modifies and/or withdraw &/or cancel/amend the offer at its own after submission of tender during the validity period.
- ii) If it is established that tenderer has submitted any wrong information/forged document alongwith the tender or thereafter.
- iii) If the tenderer declines to accept contract/order placed by the Company subsequent to acceptance of his offer.
- iv) If the tenderer does not submit the security deposit cum performance guarantee.
- v) If the tenderer breaches any promising provision of code of integrity prescribed for bidder as detailed at Annexure –A.
- (d) The Bid Security furnished by the unsuccessful tenderers will be refunded after finalization of tender / validity of the offer has expired. Bid Security of successful tenderer will be refunded after receipt of Security Deposit cum performance guarantee.
- (e) The Bid Security of a tenderer lying with the company in respect of other tenders awaiting approval or rejected or on account of contract completed will not be adjusted towards bid security against this tender, however, the bid security originally deposited may be taken into consideration in case tender is re-invited. However, tender document fees and processing fees have to be furnished afresh incase of re-tender.
- (f) Incase of participation by Undertakings, Corporations, Autonomous Bodies which are controlled and managed by Govt., Govt. Undertakings and Companies of Union Govt. & Govt. of Rajasthan, they are exempted from deposition of Bid Security.
- (g) Bid Security will be taken @25% of the total value of Bid Security of tender incase of participation by SSI units of Rajasthan subject to that the tenderer has participated against the tender in a capacity of manufacturer of the offered product. In case any SSI firm of Rajasthan is offering the quantity lesser than the tendered quantity, then they can submit proportionate amount of bid security in proportion to the quantity being offered with respect to the bid security amount for tender quantity.
- (h) Except above, no Bid Security exemption will be given to any party on

any grounds and their offer will liable for rejection.

13.0 RSMML's RIGHT:

The Company reserves the following rights at its sole discretion without assigning any reason thereof:

- i) to reject any or all the tenders received.
- ii) to accept a tender either for the total requirement or part thereof or to split the work in more than one tenderer & not to accept the lowest tenderer.
- iii) to judge any tender on technical grounds for its acceptance based on RSMML technical requirement.
- iv) to cancel the tender, postpone it for another date, change the venue of the receipt of the tender.
- v) to increase/decrease the quantity.

The decision of the Company in above regards shall be final and biding on the tenderer. As a result of such change the Company will not entertain any claim whatsoever.

14.0 EVALUATION OF TENDER: The techno-commercial suitability of the offer would be ascertained on the basis of its technical acceptance and based on the documents furnished and/or information gathered by RSMML about the tenderer. The price bid (part-II of tender) of only techno-commercially acceptable tenderers will be opened. The decision of the company in this regard shall be final and binding.

The tenderer who has earlier been suspended or banned by the company shall not be eligible to participate in this tender during the currency of suspension/ban period.

15.0 COMPENSATION FOR DELAYED DELIVERY:

In the event the supplier fails to deliver the stores in full/part within the delivery date as given in the delivery schedule or the stores are rejected, the Company shall be entitled at its option either:

- a) to recover from the supplier as agreed pre determined compensation @ 1/2% (Half percent) per week of the total value of undelivered stores for each week or part thereof the delivery has been delayed, subject to a maximum of 5% of the total value of the undelivered stores,
- b) either to purchase from elsewhere, without notice to the supplier at his risk and cost full or undelivered part, as the case may be

OR

c) to cancel the contract.

In case of b & c above, the Company will be empowered to purchase stores which are readily available with alternative source to meet the requirement irrespective of the fact whether these are similar or not.

16.0 SECURITY DEPOSIT CUM PERFORMANCE GUARANTEE:

i) Towards the due, proper and faithful fulfillment of the obligations under the contract, supplier will furnish to RSMML, Security Deposit

cum Performance Guarantee of 5% of estimated value of contract by way of Demand Draft or in the form of Bank Guarantee in the prescribed Performa from any Public Sector/ICICI/ HDFC/AXIS Bank (except SBI) having its branch at Udaipur within 21 days from the date of issue of LOA/RC. The security cum performance guarantee should be valid for a period of 6 month in excess of the contractual period.

- ii) The BG shall liable to be invoked/ amount of SD is liable to be forfeited wholly or partly at the sole discretion of the Company, should the supplier either fails to execute the work within the stipulated period or fails to fulfill the agreed obligations or fails to settle in full it's dues to the Company.
- iii) The Company is empowered to recover from the S.D. any sum due and /or any other sum that may be fixed by the Company as being the amount or loss or losses or damages suffered by it due to unsatisfactorily performance or non fulfillment of any of the conditions of the tender/contract.
- iv) The Bank Guarantee/ S.D. shall remain in force and binding, notwithstanding, if any variation, alternation, modifications are made to the contract or any extension of the contract period is granted by RSMML.
- v) RSMML shall not pay any interest on the Security Deposit. The security Deposit shall be released on application by the Supplier after the expiry of guarantees and after discharge of all the supplier's obligations under the contract.
- vi) The said Security shall not in any way be construed as a limitation of the supplier's responsibility or liability pertaining to its obligations and guarantees under the contract and shall be without prejudice to any other remedies available to RSMML in terms of the contract and or as per the laws of the land.
- vii) Incase SD is being furnished in the form of Bank Guarantee, the BG should be furnished on the non-judicial stamp paper of the value equal to 0.25% (Zero Point Twenty Five Percent) of total Security Deposit amount subject to the maximum of Rs. 25000/- or as applicable at the time of submission of B.G.
- viii) Bank Guarantee/S.D. should be send to the office of GGM, SBU-PC-Rock-Phosphate, Jhamarkotra.

17.0 RATES:

- a) The price should be quoted on-line in Indian Currency strictly in Price Bid (BOQ) Cover C on f.o.r. destination basis.
- b) The quoted price shall be on F.O.R. destination basis inclusive of basic price, Taxes, Duties, Levies, Packing, Forwarding, Transportation, Insurance, any other Delivery Charges etc. upto destination. The quoted price will remain firm and fixed till complete execution of contract.
- c) Tenderer (s) are requested to offer prices strictly in the BOQ uploaded on

the site. They should first download the BOQ from the site on their system and after filling it, the same BOQ should be uploaded on the e-procurement portal.

d) In case the tenderer is availing any exemption/ concession on ED, CST/RVAT etc. the details of the same should be clearly provided alongwith the part- I of the tender as per annexure - V. The supporting document issued by the respective Govt. Deptt./ agencies should be enclosed.

18.0 PRICE VARIATION:

- The agreed price shall remain firm and fixed till the complete execution of the contract. Only variation on account of changes in Taxes & Duties by the Government which are within the delivery schedule & directly reflected on invoice will be considered on production of documentary proof provided that the variation take place within the scheduled delivery period.
- 2 Save and except as aforesaid, the tenderer shall not be entitled to raise any claim and/or demand and/or any dispute on account of escalation or raise or increase in the prices of any other item or element.

19.0 NO COMPENSATION FOR ALTERATION OF DELIVERY SCHEDULE OR SUSPENSION OF SUPPLIES:

If at any time before commencement of the supply if the Company, for any reason, whatsoever do not require the whole supply or part thereof as specified in the LOA/RC, shall give notice in writing of the same to the supplier and the supplier shall not be entitled for any compensation and/or damage of any kind whatsoever on account for loss or profit etc. nor the contractor be entitled to any claim for compensation for re-scheduling of delivery period.

20.0 DETERMINATION OF LOWEST BIDDER FOR EVALUATION PURPOSE:

- a) For evaluation purpose, the lowest tenderer shall be determined on the basis of total landed cost of offered Electrodes at our Jhamarkotra Mines inclusive of all i.e. basic price, duties, taxes, CST/VAT/ transportation charges etc. and giving effect of any other duties/taxes levied/exempted by State/Central Govt. which are applicable directly / indirectly on the supply/use of Electrodes. However, company will take procurement decision based on total financial outgo basis.
- b) Online comparative chart may not necessarily generated, if generated, may not be treated as final.

c) **NEGOTIATIONS:-**

- i) Negotiations may be conducted with the lowest tenderer only. In case of non-satisfactory achievement of rates from lowest tenderer, RSMML may choose to make a written counter offer to the lowest tenderer and if this is not accepted, RSMML may decide to reject and re-invite fresh tenders or to make the same counter-offer first to the second lowest tenderer, then to the third lowest tenderer and so on in the order of initial bidding, and work order be awarded to the tenderer who accepts the counter offer.
- ii) In the case, when the quotations given by the tenderer during negotiations

is higher than the original quotation of the tenderer then the tenderer will be bound by the lower rate originally quoted by the tenderer.

- iii) In case of negotiations, representative of the tenderer attending negotiations must possess written authority from the tenderer to the effect that he is competent to modify/amend the submitted tender deviations and rates offered by them.
- **d)** In the event the company does not find the lowest quoted rate, acceptable to it, then the tender will be scrapped and may be re-invited, or company may take any other suitable action as deemed fit looking to the exigency of the work.
- **21.0 INSPECTION:** The inspection shall be carried out at consignee's end after receipt of the material at site, which will be final and binding to the supplier. The stores should be securely packed as per the standard packing of manufacturer. The Electrodes not conforming to the specifications or found damaged shall be rejected. Rejected electrodes would be replaced by the supplier, to meet specification requirements at their risk & cost.

22.0 CONSIGNEE:

The Group General Manager, SBU-PC (RP) or his authorized officer. RSMM Ltd, Jhamarkotra, Distt & via- Udaipur.

23.0 TERMS OF PAYMENT & PAYING AUTHORITY:

- i) 100% payment within 30 days after receipt and acceptance of stores by consignee.
- ii) Billing & Paying Authority: The bill in triplicate along-with the supporting documents duly verified by the consignee will be released by Payment disbursing authority The Payment disbursing authority Head of Finance, Jhamarkotra Mines, RSMML.
- iii) Payment will be made through NEFT/RTGS. All bank charges/commission, if any, shall be borne by the contractor.

24.0 PRICE FALL CLAUSE:

In the event of supplier accepting lower prices for supplies covered under the contract to any other customer during the pendency of the contract, the lower price and charges will also be applicable to this contract. The supplier must intimate RSMML as soon as they accept lower prices from any other company including PSU and Govt. organization.

25.0 TERMINATION:

- a) In case of failure to perform the job as required under this contract or observe breach of any of the terms and conditions by the tenderer, the company shall give a notice to rectify the default or breach within 10 days. Failure to rectify such default/ breach may result in termination of the contract and forfeiture of security deposit without any prejudice to the company's rights to claim damages/costs/loss etc caused by such default/breach. Such termination shall not absolve the tenderer of the liabilities accruing till the date of such termination.
- b) The contract may also be terminated in the event the tenderer is being

- adjudged insolvent or going into Liquidation or Winding up of their business, or making arrangement with their creditors.
- c) Notwithstanding anything contained herein above, the company in its absolute discretion may at any time terminate the order without assigning any reason thereof by giving Fifteen day's notice to the tenderer at their last notified address. In such an event the tenderer shall not be entitled to raise any claim or demand for compensation, loss of profit and/or damages and / or losses or costs by reason of such earlier termination on any ground whatsoever.

26.0 FORCE MAJEURE:

At any time, during the continuance of the contract, the performance in whole or in part by either party (sub-vendors excluded) and/ or obligations under this contract shall be prevented or delayed by reason of any war, Hostility acts of public enemy, civil commotion, sabotage, fires, floods, explosion, epidemics, quarantine restrictions, non-performance due to Acts of God or Acts of Government /statutory bodies (herein after referred as "Event") then provided a notice of the happening of any such event is given within seven days from the date of occurrence thereof neither party shall by reason of such event be entitled to terminate this contract nor shall either party have any claim for damage against the other in respect of such non-performance or delay in performance and the deliveries and/or performance of the work under the contract shall be resumed as soon as practicable after such event has come to an end or ceased to exist and decision of Company as to whether the deliveries and/or performance of the work have been so resumed or not shall be final and conclusive. Provided further that if the performance in whole or in part is delayed by reasons of any such events for a period exceeding thirty days either party may at its option terminate the contract.

27.0 JURISDICTION:

The contract is subject to the jurisdiction of courts at Udaipur only in the state of Rajasthan.

For RAJASTHAN STATE MINES & MINERALS LIMITED,

(B.S. Gupta) GENERAL MANAGER (MM)

I/We have studied the above terms and conditions and having understood the same in true sense and spirit, I/We shall abide by and adhere to the above terms and conditions fully.

Signature of Tenderer with official stamps

Place & Date:

e_TENDER NO. RSMM CO MM NIT 14 2016-17 Dated 25.10.2016 FOR SUPPLY OF REPAIRING & MAINTENANCE (JOINING) ELECTRODES (LOW HEAT) GENERAL PROFILE OF TENDERER

1	Name & address of the tenderer with			
	telephone No., Fax No.,			
	e-mail address etc.			
2	Date of establishment.			
3	Whether Proprietor/Partnership/ Company (Enclose copy of document)			
4	Name of owner/partners Directors with full address.			
5	Name of the Offered Product			
6	Annual turnovers in rupees for last three years.	2015-16	2014-15	2013-14
7	PAN No.			
8	TIN No.			
9	Service Tax Registration no.			
10	Entrepreneurs Memorandum no. as per MSMED Act 2006			
	Nature of Activity (manufacturing/Service)			
	Category of Enterprise: (Micro/ Small/ Medium)			
11	Banker details: A. Name B. Branch No. C. Address			
12	Bank Account No.			
13	Type of A/c: Saving / Current/CC/ any other			
14	IFSC code			
15	Are you exempted from paying, custom Duty/ excise Duty/Sales Tax, if yes give details.			
16	Any other important information related to the tender requirement.			
17	Offered Delivery Period for supply of material			

e_TENDER NO. RSMM_CO_MM_NIT_14_2016-17 Dated 25.10.2016 FOR SUPPLY OF REPAIRING & MAINTENANCE (JOINING) ELECTRODES (LOW HEAT)

UNDERTAKING TOWARDS ACCEPTANCE OF ALL TERMS & CONDITIONS OF TENDER

	Name o	f Tenderer							
	We con	firm that all t	the terms & conditions of te	nder is acceptable					
	to us except the following.								
	Tenderer may stipulate here exceptions and deviations to the tender								
	conditions, if considered unavoidable. In case the tenderer does not mention any information to the deviations in the below format & furnish it blank then								
	it will be presumed that the tenderer is not offering/ putting any deviations to								
			ndition. Tenderer should men						
			jection of their offer.						
	S.No.	Tender	Requirement as per tender	Offered condition/					
		Clause no.	clause	Deviation					
!	Compai	ny may accept	or not to accept the deviation	ns put by the tenderer					
	at its so	ole discretions.	No claim on this will be enter	rtained.					
	_								
Note	: Deviat	tion to the tend	der terms, if any, mentioned	any where else (i.e. in any					
			ll not be considered & ac n of the tenderer on offer						
		ani any ciam nere else.	if of the tenderer on oner	cu ucviations inclitioneu					
	arry wr	iere eise.							
			Signature of t	enderer with official stamp					
	Date:								
	Place:								

e_TENDER NO. RSMM_CO_MM_NIT_14_2016-17 Dated 25.10.2016 FOR SUPPLY OF REPAIRING & MAINTENANCE (JOINING) ELECTRODES (LOW HEAT)

UNDERTAKING TOWARDS NON SUSPENSION/NON BANNING.

	Name of the Tenderer:
	We hereby declare that we have not been banned/suspended or de-listed by RSMML in past.
Place: Date:	Signature of Tenderer with official stamp

e_TENDER NO. RSMM _CO_MM_NIT_14_ 2016-17 Dated 25.10.2016 FOR SUPPLY OF REPAIRING & MAINTENANCE (JOINING) ELECTRODES (LOW HEAT)

<u>Declaration for Registration under Micro, Small & Medium Enterprises</u> <u>Development Act, 2006.</u>

Whether the tenderer is registered under Micro, Small & Medium

1.

		Enterprises Deve	elopment s/NO)	Act,	2006.
	2.	If yes, please furnish the	e declaration given l	below.	
	3.	We (Name of Tenderer hereby declare that, of Small & Medium Enter (Micro, Small & Memorandum no(Manufacturer)	our organization is prises Development edium) Enterprises a	Act, 2006 a s having	entrepreneurs
	4.	Enclose attested copy of	f registration certific	cate.	
			Signature of to	enderer with	official stamp
Date:					
Place:					

e_TENDER NO. RSMM _CO_MM_NIT_00_ 2016-17 Dated 25.10.2016 FOR SUPPLY OF REPAIRING & MAINTENANCE (JOINING) ELECTRODES _(LOW HEAT)

DETAILS OF TAXES & DUTIES OFFERED IN PRICE BID

Na	me of Tenderer	
	Particulars	% Rate considered in price bid
	Excise Duty	@%
	CST	<i>@</i> %
	VAT	<i>@</i> %
	Service tax	<i>@</i> %
	Details of Exemption on Duties & Taxes, if any.	
Note:	In case the tenderer is availing any exert etc. the details of the same should be document issued by the respective enclosed.	clearly provided and the supporting
	Sign	nature of tenderer with official stamp
Date: Place:		

e_TENDER NO. RSMM _CO_MM_NIT_00_ 2016-17 Dated 25.10.2016 FOR SUPPLY OF REPAIRING & MAINTENANCE (JOINING) ELECTRODES (LOW HEAT)

CHECK LIST TO SPECIFICATIONS

Make of offered Electrodes:

S.N	Desirable characteristics & strength	Size in mm.	Qty in kg.	Details offered Electrodes	of	Technical (attached)	Leaflet
1	Low heat input. Should have suitable arc control	2.5 mm.	06 kgs.				
	arc for 'spray type	3.15 mm.	06 kgs.				
		4.0 mm.	42 kgs.				
	weldability. Should produce controlled grain structure for high strength, high toughness and ductility. Should be suitable for combinations of similar and dissimilar steels and joining steels of different thicknesses. Should suit to weld dies, tool springs & cushion layers, joining dissimilar steels, machinable build-up and overlays. Welds should have minimum tensile strength of 85 kg/mm ² .	5.0 mm.	06 kgs.				
2	Low heat input. Should be able to weld all steels		03 kgs.				
	including heat-treatable types, difficult-to-weld types and those with unknown composition; nickel alloys and their	3.15 mm.	03 kgs.				
		4.0 mm.	21 kgs.				
	dissimilar combinations. Deposits should be able to withstand stresses produced by thermal cycling or strains caused by weld shrinkage in massive sections. Should have excellent weldability. Welds	5.0 mm.	03 kgs.				

	should have toughness; resistance to corrosion, oxidation and thermal shocks. Tensile strength should be minimum 62 Kg/ mm2			
3	Low heat input. Should be able to weld low alloy and high tensile steels.	2.5 mm. 3.15 mm.	20 kgs.	
	Should have excellent moisture resistance.			
	Should be able to cope up with the problems of		140 kgs.	
	sulphur in steel and other alloys added to base metal to improve machinability.	5.0 mm.	20 kgs.	
	Electrodes should be able to purge these porosity causing			
	elements and other hidden defects from the molten pool by arc			
	action. Welds should have excellent impact resistance, ductility and high strength should be minimum 57 kg/ mm2.			
4	Low heat input. Should be alloyed for anti-wear,	2.5 mm.	27 kgs.	
	joining, cladding and compression service.	3.15 mm.	28 kgs.	
	high deposit vield. Weld	4.0 mm.	193 kgs.	
	should be completely machinable with	5.0 mm.	27 kgs.	
	tungsten carbide tools. Welds should have excellent resistance to			
	impact and scoring, high work hardening rate without deformation and			
	fast deposition rate. Tensile strength should be minimum 60			
	kg/mm2. Hardness as deposited should be 90-100 RB and work hardening 28-32 RC.			
5	Should have smooth deposition with lowest	2.5 mm.	20 kgs.	
	heat input. Should have precisely controlled weld	3.15 mm.	20 kgs.	

	chemistry, optimum ferrite content and high deposit ductility together		140 kgs.	
	to ensure complete freedom from cracking when joining dissimilar steels even under severe restraint. Should be all position. Tensile strength of welds should	S.O IIIII.	20 kgs.	
	be minimum 58 kg/mm2. And elongation 40-50 %.			
6	and overlay on all	2.5 mm.	01 kg.	
	ferrous and non-ferrous alloys except white metals. Should have	3.15 mm.	01 kg.	
	excellent weldability. Should be suitable for	4.0 mm.	03 kgs.	
	building up broken or worn gear teeth, worn bearings, valve seats and pistons etc. Weld joints should have excellent toughness & corrosion resistance, low coefficient of friction and high strength, should be machinable and suitable for multi-passes. Minimum tensile strength of weld should be 60 kg/mm2. Hardness 95 (work hardened) and bonding	5.0 mm.	01 kg.	
7	1		01 kg.	
	be able to weld all types of cast irons using even AC welding sets for in- situ welding. Welds	3.15 mm.	01 kg.	
	should be free from porosity. Deposits	4.0 mm.	07 kgs.	
	should be dense with excellent machinability. Welds should have high tensile strength and high ductility. There should be no overheating or breakdown at rated current. Minimum tensile strength of weld joint should be 50 kg/mm2.	5.0 mm.	01 kg.	

8	Low heat input. Should be able to weld heavy		1.5 kgs.	
	castings, long joints, repairing cracks, filling holes and building up missing sections of normal as well as heat treated aluminum. Weld metal should have rapid solidification, high strength, versatility in horizontal and vertical welding. Minimum tensile strength of welds should be 24 kg/mm2	3.15 mm.	1.5 kgs.	
		4.0 mm.	11 kgs.	
		5.0 mm.	01 kg.	
9	joining/repairing Cast	2.5 mm.	02 kgs.	
	Iron parts e.g. gear box housing, motor foundations, repair of worn-out casings of water pumps etc. The	3.15 mm.	02 kgs.	
		4.0 mm.	14 kgs.	
	electrode should be suitable for welding/repairing of all grade/types of cast iron (non-machinable). It should be suitable for use for thin & thick sections & also suitable for joining cast iron to steel. Hardness: 45-50 HRC (10% tolerance on both plus and minus side) UTS: 30-35 (10% tolerance on both plus and minus and minus side)	5.0 mm.	02 kgs.	

Signature of Tenderer with official stamps

Place & Date

e_TENDER NO. RSMM _CO_MM_NIT_00_ 2016-17 Dated 25.10.2016 FOR SUPPLY OF REPAIRING & MAINTENANCE (JOINING) ELECTRODES _(LOW HEAT)

DECLARATION BY TENDERER

I/We	declare	that	I am,	/ We	e are	/man	ufact	urer/	Sole	distr	ibutor/	/Autho	rised
dealer	r/ bonat	fide d	ealers	in t	he go	ods/st	ores/	equip:	ments	for	which	I/We	have
tende	red.												

If this declaration is found to be incorrect then without prejudice to any other action that may be taken, my/our bid security/security deposit may be forfeited in full and the tender if any to the extent accepted may be cancelled.

full and the tender if any to the extent	accepted may be cancelled.
•	
	Signature of tenderer with official stamp
Date:	
Place:	

PROFORMA OF GUARANTEE BOND FOR SECURITY DEPOSIT

at Udaipur on t twenty five perc	he non-judicial stamp paper	FC/AXIS Bank having its Brance of value equal to @ 0.25% (zeroposit Amount subject to maximum submission of BG.	ro point
B.G		Dated	_
registered office address etc.) with contact in the context so the Surety/Barincorporated a registered office at 4 Meet	ce at (mention complete po- and its head office los./mail address etc.) required include its success nk) AND Rajasthan State Mand registered under India e at C-89/90 Lal Kothi Sci	ha ostal address with contact not e at (mention complete postal a and w ssors and assignees (hereinafter ines and Minerals Limited, a co an companies Act, 1956, have heme, Janpath, Jaipur and Co ever its context so required include d 'the company').	os./mail address wherever r called company wing its orporate
company/partrever the contections of conditions of Contractor/sup Purchase Ord amendment, in provision there of Acceptance/and irrevocations.	nership firm xt so require includes its tractor/supplier/RC holder') Letter of Acceptance/ F dated oplier/RC holder, hereinafter er/ Rate Contract' which hodification or variations to of, of cash security deposit for Purchase Order/ Rate Co	to exempt M/s (address of registered/H.O. successors and assignees (her from the demand under the ter Purchase Order/ Rate Contragions issued in favour of called 'the said 'Letter of Access expression shall also inclusted in accordance whereof made in accordance whereof the due fulfillment by the said intract on production of unconfor Rs.	where reinafter rms and act no. of the ptance/de any with the id Letter additional
request of the	Contractor/supplier/RC to	ation of said bank having agreed stand as surety for payment e company subject to the fo	of Rs.
	(Ponta) do ha	proby undertake to pay to the o	omnont
as amou caused to reason of the term. Purchase such breadsolute. 2.We,	nt not exceeding Rs or or suffered or would be caused any breach by the said constant and/or conditions constant and binding on us (bank) do hereby actor/supplier/RC holder of whether any dispute is performed by the amount any demur, and/or protest pany stating that the amount of the constant and the constant	against any loss or used to or suffered by the comparation and in the Letter of Acceptained in the Letter of Acceptained in the Company, as and loss/damage suffered to suffer any other person and irrespending between the Company and the and payable under this guardered is due and payable under this guardered is due by way of would be caused to or suffered	damage any by f any of ptance/s to any shall be ence to ective of and the bitrator arantee and from loss or

Company by reason of any breach by the said contractor/supplier/RC holder of any of the terms and conditions contained in the said Letter of Acceptance/ Purchase Order/ Rate Contract by reason of the said contractor's/supplier's/RC holder's failure to perform the covenants contained in said Letter of Acceptance/ Purchase Order/ Rate Contract. Any such demand made on the bank shall be conclusive, absolute and unequivocal as regards the amount due and payable by the bank under this guarantee. However, bank's liability under this guarantee shall be restricted to an amount not exceeding Rs. _______.

4.In order to give full effect to the guarantee herein contained the company shall be entitled to act as if, we(bank) are your principal debtor in respect of all your claims against the Contractor/supplier/RC holder hereby guaranteed by us as aforesaid and we hereby expressly waive all our rights of surety-ship and other rights, if any which are in any way inconsistent and/or contrary to the above or any other provision of this guarantee, the bank's guarantee to pay hereunder will not be determined or affected by your proceeding against the Contractor/supplier/RC holder and the bank will be liable to pay the said sum as and when demanded by you merely on first demand being made on the bank by you and even before any legal or other proceedings taken against the contractor/supplier/RC holder. Any letter of demand delivered at the bank's above branch/divisional office or Udaipur branch

 provisions have effect of so relieving us.

6.This guarantee herein contained would come into force from the date of issue and would not be affected by any change in the constitution of the supplier/RC or ourselves or liquidation or winding up or dissolution or insolvency of the contractor/supplier/RC holder nor shall it be affected by any change in company's constitution or by any amalgamation or any absorption thereof or therewith but shall ensure for and be available to and enforceable by absorbing or amalgamated company or concern till the payment or amount not exceeding Rs is made by the Bank.
7. The guarantee will not be discharged or affected if the Company holds/obtain any other security/guarantee/promissory note from any person and/or the contractor/supplier/RC holder and this guarantee shall be in addition to any such guarantees.
8.We,(Bank) lastly undertake not to revoke this guarantee during this currency except with the previous consent of the company in writing.
9.The bank has power to issue this guarantee in favour of the Company and the undersigned has full powers to do so under power of Attorney dated granted to him by the bank.
10.For the purpose of enforcing legal rights in respect of this guarantee exclusively Udaipur courts in the state of Rajasthan alone shall have jurisdiction.
IN WITNESSETH I, HEREBY SON OF(designation)(branch) constituted attorney of the said bank have set my signatures and bank seal on this guarantee which is being issued on non-judicial stamp of proper value as per Stamp Act prevailing in the state of executed at this the day of2016.

Annexure A: Compliance with the Code of Integrity and No Conflict of Interest

Any person participating in a procurement process shall -

- a) Not misrepresent or omit that misleads or attempts to mislead so as to obtain a financial or other benefit or avoid an obligation;
- b) Not offer any bribe, reward or gift or any material benefit either directly or indirectly in exchange for an unfair advantage in procurement process or to otherwise influence the procurement process;
- c) Not indulge in any collusion, Bid rigging or anti-competitive behaviour to impair the transparency, fairness and progress of the procurement process;
- d) Not misuse any information shared between the procuring Entity and the Bidders with an intent to gain unfair advantage in the procurement process;
- e) Not indulge in any coercion including impairing or harming or threatening to do the same, directly or indirectly, to any party or to its property to influence the procurement process;
- f) Not obstruct any investigation or audit of a procurement process;
- g) Disclose conflict of interest, if any, and
- h) Disclose any previous transgressions with any Entity in India or any other country during the last three years or any debarment by any other procuring entity.

Conflict of Interest:-

The Bidder participating in a bidding process must not have a Conflict of Interest. A Conflict of Interest is considered to be a situation in which a party has interests that could improperly influence that party's performance of official duties or responsibilities, contractual obligations, or compliance with applicable laws and regulations.

- 1) A Bidder may be considered to be in Conflict of Interest with one or more parties in a bidding process if, including but not limited to:
- a) Have controlling partners/shareholders in common; or
- b) Receive or have received any direct or indirect subsidy from any of them; or
- c) Have the same legal representative for purposes of the bid; or
- d) Have a relationship with each other, directly or through common third parties, that puts them in a position to have access to information about or influence on the bid of another Bidder, or influence the decisions of the Procuring Entity regarding the bidding process; or
- e) The Bidder participates in more than one bid in a bidding process.

 Participation by a Bidder in more than one bid will result in the disqualification of all bids in which the Bidder is involved. However, this does not limit the inclusion of the same subcontractor, not otherwise participating as a Bidder, in more than one bid; or
- f) The Bidder or any of its affiliates participated as a consultant in the preparation of the design or technical specifications of the Goods, Works or Services that are the subject of the bid; or
- g) Bidder or any of its affiliates has been hired (or is proposed to be hired) by the Procuring Entity as engineer-in-charge/consultant for the contract.

Annexure B: Declaration by the Bidder regarding qualifications Declaration by the Bidder

Declaration by the Bidder
In relation to my/our Bid submitted tofor
procurement ofin response to their
Notice Inviting Bids No datedI/we hereby declared
under Section 7 of Rajasthan Transparency in Public Procurement Act 2012, that :
1. I/we possess the necessary professional, technical, financial and managerial resources and competence required by the Bidding Document issued by the Procuring Entity;

- 2. I/we have fulfilled my/our obligation to pay such of the taxes payable to the Union and the State Government or any local authority as specified in the Bidding Document;
- 3. I/we are not insolvent, in receivership, bankrupt or being wound up, not have my/our affairs administered by a court or a judicial officer, not have my/our business activities suspended and not the subject of legal proceedings for any of the foregoing reasons;
- 4. I/we do not have, and our directors and officers not have been convicted of any criminal offence related to my/our processional conduct or the making of false statements or misrepresentations as to my/our qualifications to enter into a procurement contract within a period of three years preceding the commencement of this procurement process, or not have been otherwise disqualified pursuant to debarment proceedings;
- 5. I/we do not have a conflict of interest as specified in the Act, Rules and the Bidding Document, which materially affects fair competition;

Date:	Signature of bidder
Place:	Name:
	Designation:
	Address:

Annexure C: Grievance Redressal during Procurement Process

The designation and address of the First Appellate Authority is : Mines Dept, Govt. of Rajasthan

The designation and address of the Second Appellate Authority is: Finance Dept., Govt. of Rajasthan

1. Filing an appeal

If any Bidder or prospective bidder is aggrieved that any decision, action or omission of the Procuring Entity is in contravention to the provisions of the Act or the Rules or the Guidelines issued thereunder, he may file an appeal to First Appellate Authority, as specified in the Bidding Document within a period of ten days from the date of such decision or action, omission, as the case may be clearly giving the specific ground or grounds on which he feels aggrieved:

Provided that after the declaration of a Bidder as successful the appeal may be filed only by a Bidder who has participated in the procurement proceedings:

Provided further that in case a Procuring Entity evaluates the technical bids before the opening of the financial Bids, an appeal related to the matter of Financial Bids may be filed only by a Bidder whose Technical Bid is found to be acceptable.

- 2. The officer to whom an appeal is filed under para (1) shall deal with the appeal as expeditiously as possible and shall endeavour to dispose it of within thirty days from the date of the appeal.
- filed within the period specified in para (2) or if the Bidder or prospective bidder or the Procuring Entity is aggrieved by the order passed by the First Appellate Authority, the bidder or prospective bidder or the Procuring Entity, as the case may be, may file a second appeal to Second Appellate Authority specified in the Bidding Document in this behalf within fifteen days from the expiry of the period specified in para (2) or of the date of receipt of the order passed by the First Appellate Authority, as the case may be

4. Appeal not to lie in certain cases

No appeal shall lie against any decision of the Procuring Entity relating to the following matters, namely:-

- a. Determination of need of procurement;
- b. Provisions limiting participation of Bidders in the Bid process;
- c. The decision of whether or not to enter into negotiations;
- d. Cancellation of a procurement process;
- e. Applicability of the provisions of confidentiality.

5. Form of Appeal

- a. An appeal under para (1) or (3) above shall be in the annexed form alongwith as many copies as there are respondents in the appeal;
- b. Every appeal shall be accompanied by an order appealed against, if any, affidavit verifying the facts stated in the appeal and proof of payment of fee.

c. Every appeal may be presented to First Appellate Authority or Second Appellate Authority, as the case may be, in person or through registered post or authorized representative.

6. Fee for filing appeal

- a. Fee for the first appeal shall be rupees two thousand five hundred and for second appeal shall be rupees ten thousand, which shall be non-refundable.
- b. The fee shall be paid in the form of bank demand draft or bankers' cheque of a Scheduled Bank in India payable in the name of Appellate Authority concerned.

7. Procedure for disposal of appeal

- a. The First Appellate Authority or Second Appellate Authority, as the case may be, upon filing of appeal, shall issue notice accompanied by copy of appeal, affidavit and documents, if any, to the respondents and fix date of hearing.
- b. On the date fixed for hearing, the First Appellate Authority or Second Appellate Authority , as the case may be, shall –
- i) Hear all the parties to appeal present before him; and
- (ii) Peruse or inspect documents, relevant records or copies thereof relating to the matter.
- c. After hearing the parties, perusal or inspection of documents and relevant records or copies thereof relating to the matter, the Appellate Authority concerned shall pass an order in writing and provide the copy of order to the parties to appeal free of cost.
- d. The order passed under sub-clause (c) above shall also be placed on the State Public Procurement Portal.

Memorandum of Appeal under the Rajasthan Transparency in Public Procurement Act 2012

	of		Second Appellate Authority)
1.	Particulars of appellant : (i) Name of the appellant :	(11151 / 1	second Appenate Authority)
	(ii) Official address, if any:		
	(iii)Residential address:		
2.	Name and address of the r (i) (ii) (iii)	espondent(s) :	
3.	or a statement of a d	ne and the passed copy), lecision, of the in the	
4.	If the Appellant proposes represented by a represented the name and postal of the representative:	entative,	
5.	Number of affidavits documents enclosed wi appeal:		
6.	Ground	of	appeal
:			•••••
			(Sup
port	ed by an affidavit)		
7.			
	Prayer:		
•••••			
•••••			
Place	a :		
Date			Appellant's signature :
_			

Annexure D: Additional Conditions of Contract

1. Correction of arithmetical errors

Provided that a Financial Bid is substantially responsive, the Procuring Entity will correct arithmetical errors during evaluation of Financial Bids on the following basis:

- (i) if there is a discrepancy between the unit price and the total price that is obtained by multiplying the unit price and quantity, the unit price shall prevail and the total price shall be corrected, unless in the opinion of the Procuring Entity there is an obvious misplacement of the decimal point in the unit price, in which case the total price as quoted shall govern and the unit price shall be corrected;
- (ii) If there is an error in a total corresponding to the addition or subtraction of sub totals, the subtotals shall prevail and the total shall be corrected; and
- (iii) If there is a discrepancy between words and figures, the amount in words shall prevail, unless the amount expressed in words is related to an arithmetic error, in which case the amount in figures shall prevail subject to (i) and (ii) above.

If the Bidder that submitted the lowest evaluated bid does not accept the correction of errors, its bid shall be disqualified and its Bid Security shall be forfeited or its Bid Securing Declaration shall be executed.

2. Procuring Entity's Right to Vary Quantities

- (i) At the time of award of contract, the quantity of Goods, works or services originally specified in the Bidding Document may be increased or decreased by a specified percentage, but such increase or decrease shall not exceed twenty percent, of the quantity specified in the Bidding Document. It shall be without any change in the unit price or other terms and conditions of the bid and the conditions of contract.
- (ii) If the Procuring Entity does not procure any subject matter of procurement or procures less than the quantity in the Bidding Document due to change in circumstances, the bidder shall not be entitled for any claim or compensation except otherwise provided in the conditions of contract.
- (iii) In case of procurement of goods or services, additional quantity may be procured by placing a repeat order on the rates and conditions of the original order. However, the additional quantity shall not be more than 50% of the value of goods of the original contract and shall be within one month from the date of expiry of last supply. If the supplier fails to do so, Procuring Entity shall be free to arrange for the balance supply by limited bidding or otherwise and the extra cost incurred shall be recovered from the supplier.

3. Dividing quantities among more than one bidder at the time of award (In case of procurement of goods)

As a general rule all the quantities of the subject matter of procurement shall be procured from the bidder, whose bid is accepted. However, when it is considered that the quantity of the subject matter

of procurement to be procured is very large and it may not be in the capacity of the bidder, whose bid is accepted, to deliver the entire quantity or when it is considered that the subject matter of procurement to be procured is of critical and vital nature, in such cases, the quantity may be divided between the bidder, whose bid is accepted and the second lowest bidder or even more bidders in that order, in a fair, transparent and equitable manner at the rates of the bidder, whose bid is accepted.