



# RAJASTHAN STATE MINES & MINERALS LIMITED

(A Government of Rajasthan Enterprise)

## CEU - LIGNITE

**Khanij Bhawan, RIICO Ind. Area, Barmer-344001**

Phone: 02982-220473, Fax: 02982-221117

Web: [www.rsmm.com](http://www.rsmm.com)

Registered Office : C-89-90, Jan Path, Lal Kothi Scheme, Jaipur

CIN No. U14109RJ1949SGC000505, GSTIN: 08AAACR7857H1Z0

### **Tender For Supply of Elctrical Items as per annexure-D at CEU Lignite Office, Barmer.**

**LTE No. RSMM/GLP/Theka/2025-26/01**

**Date 08.04.2025**

**Issued By: Dy. General Manager (Mining)  
CEU LIGNITE, RSMML**

**Khanij Bhawan, RIICO Ind. Area, Barmer (Raj) 344001**

Last date of submission of tender : 17.04.2025 at 3.00 PM

Date of Opening : 17.04.2025 at 3.30 PM

Place of Submission and Opening : CEU-Lignite Office, Barmer

Brief Description	Estimated value of work (in Rs.)	Contract Period	EMD (in Rs.)
supply installation testing and commissioning (SITC) of electric item etc. as per Annx.-D, at site Giral Lignite Mines And Sonari Lignite Mines, RSMM Ltd. Barmer.	249883/-	45 days	4900/-

**Registered Office:**  
C-89 Janpath Lal Kothi Scheme,  
Jaipur-302015  
Ph-2743734, 2743934  
Fax-0141-2743735

**Corporate Office:**  
4, Meera Marg  
Udaipur  
Ph: 0294-2428763-67  
Fax: 0294-2428790

**1) Introduction**

- 1.1 Sealed tenders with validity for 90 days are invited from the prospective bidders for Supply of Electrical Items per annexure-D.
- 1.2 Officer in charge shall mean the Dy. General Manager (Mining), CEU - Lignite, Khanij Bhawan, Barmer or his representatives. Agency shall mean the successful bidder to whom the Contract is awarded. Other definitions wherever needed to be referred, shall be referred to the prevailing purchase manual of RSMML/RTTP Act. 2012.

**2) Opening & Evaluation of the Offer**

- 2.1 Offer of the bidders will be opened on date and time mentioned in the presence of bidders who chose to be present.
- 2.2 The qualified Bidder as per the prequalification criteria who has offered lowest price in Annexure-D will be considered as successful bidder.
- 2.3 In case, Negotiation is required, then it will conducted with the lowest Bidder only.

**3) Prequalification Criteria**

- 3.1 Bidder should not have been blacklisted by any Government organization. An undertaking in this regard is to be submitted by the bidder.
- 3.2 Bidder should enclose copies of Pan Number and GST number. In case the bidder is not having GST Registration no. then an undertaking is to be furnished.
- 3.3 Bidder has to sign & submit a duplicate copy of this document as a token of acceptance of the terms & conditions of this limited tender.
- 3.4 Bidder should enclose copy of purchase orders in evidence of clientele served for similar work.
- 3.5 Bidder shall have to submit the documentary proof of its pre-qualification parameters.
- 3.6 The bidder shall submit the certificate related to authorization.

**4) Date of submission & Opening of Tender.**

S.No	Description	Details of Opening and Submission	
		Date	Time
1	Submission of Tender	17.04.2025	03.00 PM
2	Opening of Tender	17.04.2025	03.30 PM

**Note:- After 3.00 PM No tender copy will be acceptable.**

**5) Venue of submission & opening of tender.**

Office of Unit-Head, CEU- Lignite , RIICO Ind. Area, Barmer (Raj).

**6) Period of Contract.**

45 days from the date of issue of purchase order.

**7) Scope of work**

The required material mentioned in Annexure-D should be supply installation testing and commissioning (SITC) at Site Giral Lignite Mines and Sonari Lignite Mines, Barmer within 45 days of acceptance of this purchase order issued by us. Arrangement of all labour required to completed this work

**8) Criteria for evaluation of L-1 Party**

- 8.1 For the purpose of L-1, the total of the offered price shall be considered against the referred enquiry. In case, negotiation is needed, it shall be held with the lowest bidder only.

**9) Security Deposit**

The Agency shall furnish a security deposit / EMD equivalent to 2% of purchase value in the form of an BG/account payee /demand draft drawn ( EMD amount Rs 4900/-) in favor of RSMML Jaipur payable at Jaipur. The security deposit/EMD shall be refunded after satisfactory report.

**10) RELAXATION IN TENDER DOCUMENT FEES, BID SECURITY & SECURITY DEPOSIT CUM PERFORMANCE GUARANTEE TO MSME, GOR:**

Bidders offering in capacity of micro, small and medium enterprises of the State of Rajasthan, having acknowledgement of Entrepreneurs Memorandum-II/Udyog Aadhar Memorandum as mentioned in Micro, Small and Medium Enterprises Development Act, 2006, issued by the competent authority facilitated, on furnishing of a self-attested copy of acknowledgement of Entrepreneurs Memorandum-II/Udyog Aadhaar Memorandum, following relaxations will be provided :-

- i) Tender document fees will be taken @ 50% of the prescribed total value of Tender document fees.
- ii) Bid Security will be taken @25% of the total value of Bid Security. In case of offering the quantity lesser than the tendered quantity, then they can submit proportionate amount of bid security in proportion to the quantity being offered with respect to the bid security amount for tender quantity.
- iii) Security Deposit will be taken @1% of the total value of order/contract.

Except above as mentioned in above clauses, no exemption in respect of Tender Document Fee, Bid Security & Security Deposit (Performance Security) will be given to any party on any grounds (except considered by management on the merit of the case ) and their offer will be liable for rejection.

**11) Payment terms and conditions:**

01. Defect liability period 15 days for testing and satisfactory job from complication of work.
02. The payment shall be made within 20 days after Satisfactory job / submission of bill..

**12) Disputes & Jurisdictions**

In case of any dispute in between the Agency and RSMML, the decision of the Dy. General Manager, CEU- Lignite, Barmer would be final and binding on the both Agency and Department.

FOR Rajasthan State Mines & Minerals Ltd

Read, Understood and accept all the contents/details of above limited tender for -----

Signature : \_\_\_\_\_

Name : \_\_\_\_\_

Seal : \_\_\_\_\_

Date : \_\_\_\_\_

**Annexure- B**

<b>S.No.</b>	<b>Particulars</b>	<b>To be filled in by the bidder</b>
1	Name of Agency.	
2	Detailed Office Address of the Agency with Telephone Number, Fax & Mobile Number, E mail ID and Name of Contact Person.	
3	PAN/TAN Number (copy to be enclosed).	
4	GST Registration Number (copy to be enclosed)	
5	Whether the firm is blacklisted by any Government Department or any criminal case is registered against the firm or its owner/ partners anywhere in India (If no, a certificate is to be attached in this regard).	
6	MSMED Certificate, if any (copy enclosed).	
7	Whether a copy of limited tender document enclosed duly signed, in token of acceptance of the same, is attached.	
8	Whether agency profile is attached.	
9	Copy of valid authorization, if any. Preference would be given to the party who has submitted authorization certificate.	
10	Any other documents copy of valid authorization.	

**Signature of Bidder with Official Seal**

**Exceptions & Deviations**

Bidder may stipulate here exceptions and deviations to the tender conditions, if considered unavoidable:

<b>S. No.</b>	<b>Page No. of Tender Document</b>	<b>Clause No. of Tender Document</b>	<b>Subject</b>	<b>Deviation</b>

**Signature of Bidder with Official Seal**

**PROFORMA FOR PRICE BID**

Sr. No.	Item Description/Technical Specification	At Giral		At Sonari	
		No's/ Meters	Total	No's/ Meters	Total
1	P & Fixing Powder coated CRCA sheet enclosures on existing angle iron frame by means of nuts and bolts and making holes , Din rail etc. as required 2.5 mm thick.	2		0	
2	Providing & Fixing of 240/415 V Residual current circuit breaker (RCCB) conforming to (IS:12640-1)/ IEC 61008 -1 , rated 4 KV impulse withstand voltage truly current operated and shall operate on CBCT mechanisum, provision for pad lock, min. operation 10,000 upto 63 A rating and 5000 for 100 A rating and minimum phase termination capacity of 35 sq.mm. rigid wire , IP 20 contact protection with existing distribution board / sheet including making connections, testing etc. as required.				
	RCCB 63 Amp, 4 Pole	3		2	
	RCCB 100 Amp, 4 Pole	0		2	
3	Providing & Fixing of ISO certified company made TP&N, 415 V AC-23A front handle operated switch disconnector fuse unit, cubical type, without metallic enclosure (For Panel Mounting), as per PWD specification for electrical Works conforming to IS/IEC 60947-3 : 1999 in existing panel With HBC fuses including making connections with lugs, testing etc as required SFU (Switch Fuse Unit), 63 Amp, 3 Pole with Handle	1		1	

4	Providing & Fixing of 240/415 V AC MCB with positive isolation of 10kA breaking capacity (B/ C/D tripping characteristic as per type of load and site requirement) 4 KV impulse withstand voltage, ISI marked IS 8828(1996) / conforming to IEC 60898-1 2002, IEC 60947- 2, low watt losses, trip free mechanism , energy limiting of class 3 as per IEC, minimum phase termination capacity of 35 sq.mm. ,conductor line load reversibility , IP 20 contact protection and fitted in existing distribution board/sheets, minimum electrical operation 20,000 upto 20 A rating and 10,000 upto 63 A, 5000 for 80 A & above rating including making connections, testing etc. as required.		0		0
	Single pole MCB 6A to 32 Amp	5		4	
	Double pole MCB 6A to 32 Amp	3		2	
5	Lightening Arrester, S/S Heavy duty 9 KV, 10 KA	0		6	
6	Pipe Earthing as per IS:3043-1987 with 3.0 Mtr. Long, 40 mm dia. ' B ' class G.I. Pipe IS: 1239 (Part-1) 2004, Equivalent to BS : 1387 with perforated holes of 12 mm dia ,including all accessories like nut, bolts, reducer, nipple, wire meshed funnel, and Heavy duty weather proof polypropylene earth pit chamber with lockable Jam free lid suitable for safe working load 5000 Kg or more of size Top Dia. 225 to 260 mm, Bottom Dia 300 to 350 mm. and Height 250 to 300 mm. and embodying the pipe complete with alternate layers salt and coke/ charcoal. All as per pre approved by Engineer in charge.	8		9	

7	Providing and fixing 180 cm high fencing with angle iron post size 50x50x6mm placed at every 3 meters apart and 45cm in ground embedded in cement concrete 1:3:6 (30x30x60cm) corner and every 10th.post to the struttred with 50x50x6 mm angle iron provided with 6 horizontal lines and 2diagonals of G.I. barbed wire between two post fitted and fixed with G.I. Staples including each works in excavation etc. complete.	42		40	
8	Supply & Laying following size earth strip in horizontal or vertical run in surface by means of Earth strip DMC Insulator including riveting/ soldering/ welding, Jointing shall be done by overlapping and with 2 set of Brass (for Cu strip) / GI (for GI Strip) nut bolt & spring washer spaced at 50cm making connection etc. as required. All as per pre approved by Engineer in charge.				
	25x3 mm copper strip	19		22	
	30mm x 6mm Alum. Strip	35		42	
9	Providing & Fixing of ISO Certified company made lightning conductor finial as per PWD specification for electrical Works as per IS 2309-1989 made out of 25 mm dia.,300 mm long copper solid rod having single prong at top with 85 mm dia., 3 mm thick copper base plate includingholes etc. complete as required. All as per pre approved by Engineer in charge.	2		2	
10	Providing & Fixing of Recessed/surface mounting heavy duty Enclosure made out from Galvanized steel / CRCA sheet not less then 1.2 mm thick conforming to IS-8623-1 & 3 / IEC 61439- 1 & 3. powder painted complete with din rail making internal DB terminations with copper lugs,	1			0

	detachable gland plate, including making connections, testing etc. as required. Suitable for Six / Eight module for MCB/ RCCB				
	<b>Total (Including GST)</b>	<b>115306/-</b>		<b>134577/-</b>	
	<b>Grand Total</b>	<b>249883/-</b>			

<b>Rates are to be quoted % Above (+) or Below(-) BSR</b>	<b>%</b>	<b>Amount</b>
<b>Quoted % (+)Above OR (-)Below BSR</b>		
SGST	.....%	( + / - ) .....
CGST		.....
		.....
<b>G.Total Amount</b>		
<b>G.Total Amount in word :-</b>		

**Signature of contractor :**

**Name of firm :**

**Address :**

**Contact No. :**

**Terms and Conditions:-**

1. The above rates are exclusive of GST.
2. Bidder is required to mentioned the make/models of above items as per Indian standard offered by him if any.
3. Rates must be entered in figures and words.
4. In case of difference between quoted rates in words and figures, the lower of the two shall be considered.
5. No conditions shall be mentioned in the price bid.
6. The agreed price shall remain in force till the entire period of the contract.
7. No overwriting shall be entertained. In case of overwriting, it should be made legible and signed by the bidder.
8. The bidder shall be supply the above items at F.O.R. RSMML, CEU Lignite office, Ricoh Industrial area, Barmer.
9. Expenditure related freight charges & other taxes shall be borne by the party.
10. Contractor has to submit photographs of site 'before start of work and after completion of work.'
11. Contractor shall be sole responsible for the safety of their staff.
12. GST certificate shall be submitted with the final bill

**Signature of Bidder with Official Seal**