



# Rajasthan State Mines & Minerals Limited

(A Government of Rajasthan Enterprise)

Registered Office  
C89-90, Lal Kothi Scheme, Janpath  
Jaipur (Rajasthan)India  
Ph.:+91-1410-2743734. 2743934  
Fax: +91-141-2743735  
**CIN No.: U14109RJ1949SGC000505**  
**PAN No : AAACR7857H**  
**GSTIN No. 08AAACR7857 H1Z0**

Corporate Office  
4, Meera Marg,  
Udaipur – 313 001  
Ph.: -91-294-2428768, 2428763-67  
Fax: +91-294-24287, 2428739  
e-mail naveengupta.rsmml@rajasthan.gov.in  
website: [www.rsmm.com](http://www.rsmm.com)

Ref: RSMM/CO/MM/2021-22

Dated: 20.07.2021

## **CORRIGENDUM No. 1**

Sub: TENDER NO. RSMM/CO/MM/NIT-10/2021-22 Dated 13.07.2021 for Supply of Electrical Items, LED lights, HRC fuses etc to Jhamarkotra Mines, Udaipur (Raj.)

Against the above mentioned tender, following amendment is being made:

<b>Ref. of clause no.</b>	<b>Modifications/Amendment</b>
Annexure-VI 'Checklist as to the Specifications' and wherever applicable.	Some modifications are made in the technical details of items and amended Annexure-VI is being attached as " <b>Revised annexure-VI</b> " for offering the items against the tender.  Bidders are requested to quote the prices in BOQ as per revised annexure-VI only.

### **Note:**

- (i) All other terms & conditions will remain unchanged.
- (ii) Tenderers are requested to offer the items in revised annexure- VI and enclose a copy of this corrigendum alongwith duly filled, sealed & signed 'revised annexure- VI' in their part-I of offer accordingly.

For more details, tenderer may contact Dy. Gen. Manager (MM) at the above address.

(B.S. Gupta)  
GGM (MM)

Encl: As above.

**Revised Annexure - VI**

**e TENDER NO. RSMM CO MM NIT 10 2021-22**  
**FOR SUPPLY OF ELECTRICAL ITEMS**

**CHECKLIST AS TO THE SPECIFICATIONS**

S. N.	Description	Makes	Unit	Approx. Total Qty	Agreed	Deviation, if any	Offered make & model	mention relevant IS.	Packing Size	Applicable rate of GST in %
1	Lamp, Metal Halide Screw type single ended, 250 Watt, 240 Volts	CG, BAJAJ , SURYA, PHILIPS, GE, HAVELLS, LIGHTING SCIENCE, KESSLEC, WIPRO, HPL	Nos.	10						
2	Lamp, Metal Halide Screw Type Single Ended 400 Watt, 240 Volts,	CG, BAJAJ , SURYA, PHILIPS, GE, HAVELLS, LIGHTING SCIENCE, KESSLEC, WIPRO, HPL	Nos.	5						
3	Lamp Metal Halide Screw Type Single Ended , 70 Watt, 240 Volts,	CG, BAJAJ , SURYA, PHILIPS, GE, HAVELLS, LIGHTING SCIENCE, KESSLEC, WIPRO, HPL	Nos.	15						
4	Lamp , Metal Halide Screw Type Single Ended,150 watt,240 volts	CG CG, BAJAJ , SURYA, PHILIPS, GE, HAVELLS, LIGHTING SCIENCE, KESSLEC, WIPRO, HPL	Nos.	10						
5	Lamp, Metal Halide, double ended,70 watt,240 volts	CG, BAJAJ , SURYA, PHILIPS, GE, HAVELLS, LIGHTING SCIENCE, KESSLEC, WIPRO, HPL	Nos.	20						
6	Lamp HPSV 70 Watt 240 Volt, Screw Cap Type	CG, BAJAJ , SURYA, PHILIPS, GE, HAVELLS, LIGHTING SCIENCE, KESSLEC, WIPRO, HPL	Nos.	50						
7	Lamp HPSV 250 Watt 240 Volt, Screw Cap Type	CG, BAJAJ , SURYA, PHILIPS, GE, HAVELLS, LIGHTING SCIENCE, KESSLEC, WIPRO, HPL	Nos.	40						
8	Lamp HPSV 150 Watt 240 Volt, Screw Cap Type	CG, BAJAJ , SURYA, PHILIPS, GE, HAVELLS, LIGHTING SCIENCE, KESSLEC, WIPRO, HPL	Nos.	50						
9	Lamp HPSV 400 Watt 240 Volt, Screw Cap Type	CG, BAJAJ , SURYA, PHILIPS, GE, HAVELLS, LIGHTING SCIENCE, KESSLEC, WIPRO, HPL	Nos.	15						

10	Halogen Lamp/ Rod, 500 W, 240V	CG, BAJAJ , SURYA, PHILIPS, GE, HAVELLS, LIGHTING SCIENCE, KESSLEC, WIPRO, HPL	Nos.	8						
11	Halogen Lamp 1000 Watt, 240 Volts	CG, BAJAJ , SURYA, PHILIPS, GE, HAVELLS, LIGHTING SCIENCE, KESSLEC, WIPRO, HPL	Nos.	8						
12	Bulb Clear 500 Watt, 240 Volts	CG, BAJAJ , SURYA, PHILIPS, GE, HAVELLS, LIGHTING SCIENCE, KESSLEC, WIPRO, HPL.	Nos.	8						
13	Bulb pin Type Clear 240 Volt 60 Watt	CG, BAJAJ , SURYA, PHILIPS, GE, HAVELLS, LIGHTING SCIENCE, KESSLEC, WIPRO, HPL	Nos.	25						
14	Choke Ballast for HPSV 70W/240V	CG, BAJAJ , SURYA, PHILIPS, GE, HAVELLS, LIGHTING SCIENCE, KESSLEC, WIPRO, HPL	Nos.	25						
15	Choke Ballast for HPSV 150W/240V	CG, BAJAJ , SURYA, PHILIPS, GE, HAVELLS, LIGHTING SCIENCE, KESSLEC, WIPRO, HPL	Nos.	30						
16	Choke (Ballast) for HPSV Lamp 250W, 240V	CG, BAJAJ , SURYA, PHILIPS, GE, HAVELLS, LIGHTING SCIENCE, KESSLEC, WIPRO, HPL	Nos.	25						
17	Choke for HPSV Lamp, 400 W, 240V	CG, BAJAJ , SURYA, PHILIPS, GE, HAVELLS, LIGHTING SCIENCE, KESSLEC, WIPRO, HPL	Nos.	10						
18	Fitting of Halogen Lamp 1000 Watt	CG, BAJAJ , SURYA, PHILIPS, GE, HAVELLS, LIGHTING SCIENCE, KESSLEC, WIPRO, HPL	Nos.	8						
19	Fitting of Halogen Lamp 500 Watt	CG, BAJAJ , SURYA, PHILIPS, GE, HAVELLS, LIGHTING SCIENCE, KESSLEC, WIPRO, HPL	Nos.	5						
20	Igniter for HPSV Lamp 70-400 Watt, 240Volts	CG, BAJAJ , SURYA, PHILIPS, GE, HAVELLS, LIGHTING SCIENCE, KESSLEC, WIPRO, HPL	Nos.	150						
21	Ceiling Fans Single Phase, Size 48" with Mounting GI Pipe Length-3' but without regulator	Almonard , CG , Khaitan , Bajaj , USHA, Orient , Ortem, Polar, Havells	Nos.	30						
22	Electronic Regulator for above Ceiling Fan	Almonard , CG , Khaitan , Bajaj , USHA, Orient , Ortem, Polar, Havells	Nos.	20						

23	Automatic Light Control Switch 25 Amp, Single Phase (Photo Switch) with sensor complete (Indoor Type)	Gelco or any reputed make	Nos.	8								
24	Photosensor Model PA-2-C SD-0.9 Mtr	Gelco or any reputed make	Nos.	15								
25	Holder Porclein Screw Type Suitable for 150/250/400 W HPSV Lamp	any reputed make	Nos.	65								
26	PVC Insulation Tape Roll Self Adhesive Tape (1.80 cm x 7 m x 0.125 mm)	Anchor, Steelgrip or any reputed make	Nos.	500								
27	Capacitor for Ceiling Fan 2.5 MFD 240V/ 440 Volts	Any reputed maek	Nos.	50								
28	Capacitor for Coolers , 4 MFD 240 volt	Any reputed maek	Nos.	10								
29	PVC insulated flexible copper wire size 1.5 Sq. MM, (Red) (90 meter/Coil)	Finolex , Rallison , KEI, Plaza, Anchor, Unicab , Polycab , RR, HPL, National, Havells, Delton, Paramount, Empire	Coil	4								
30	PVC insulated flexible copper wire size 1.5 Sq. MM, (Black) (90 meter/Coil)	Finolex , Rallison , KEI, Plaza, Anchor, Unicab , Polycab , RR, HPL, National, Havells, Delton, Paramount, Empire	Coil	4								
31	PVC insulated flexible copper wire size 1.0 Sq. MM, (Red) (90 meter/Coil)	Finolex , Rallison , KEI, Plaza, Anchor, Unicab , Polycab , RR, HPL, National, Havells, Delton, Paramount, Empire	Coil	4								
32	PVC insulated flexible copper wire size 1.0 Sq. MM, (Black) (90 meter/Coil)	Finolex , Rallison , KEI, Plaza, Anchor, Unicab , Polycab , RR, HPL, National, Havells, Delton, Paramount, Empire	Coil	4								
33	PVC insulated flexible copper wire size 0.75 Sq. MM, (Green) (90 meter/Coil)	Finolex , Rallison , KEI, Plaza, Anchor, Unicab , Polycab , RR, HPL, National, Havells, Delton, Paramount, Empire	Coil	2								
34	PVC insulated flexible copper wire size 2.5 Sq. MM, (Red) (90 eter/Coil)	Finolex , Rallison , KEI, Plaza, Anchor, Unicab , Polycab , RR, HPL, National, Havells, Delton, Paramount, Empire	Coil	4								

35	PVC insulated flexible copper wire size 2.5 Sq. MM, (Black) (90 meter/Coil)	Finolex , Rallison , KEI, Plaza, Anchor, Unicab , Polycab , RR, HPL, National, Havells, Delton, Paramount, Empire	Coil	4							
36	PVC insulated flexible copper cable size 2 core , 1.5 Sq. MM, (100 meter/Coil)	Finolex , Rallison , KEI, Plaza, RR, Unicab , Polycab ,Delton, Paramount, Havells, Empire	Coil	2							
37	PVC insulated flexible copper cable size 3 core , 1.5 Sq. MM, (100 meter/Coil)	Finolex , Rallison , KEI, Plaza, RR, Unicab , Polycab ,Delton, Paramount, Havells, Empire	Coil	2							
38	PVC insulated flexible copper cable size 3 core , 2.5 Sq. MM, (100 meter/Coil)	Finolex , Rallison , KEI, Plaza, RR, Unicab , Polycab ,Delton, Paramount, Havells, Empire	Coil	2							
39	PVC insulated flexible copper cable size 4 core , 1.5 Sq. MM, (100 meter/Coil)	Finolex , Rallison , KEI, Plaza, RR, Unicab , Polycab ,Delton, Paramount, Havells, Empire	Coil	2							
40	PVC insulated Aluminium conductor unarmoured cable size 2 core , 1.1 KV , 1.5 Sq. MM	Finolex , Rallison , KEI, Plaza, RR, Unicab , Polycab ,Delton, Paramount, Havells, Empire	Mtr	600							
41	PVC insulated Aluminium conductor unarmoured cable size 4 core , 1.1 KV , 1.5 Sq. MM	Finolex , Rallison , KEI, Plaza, RR, Unicab , Polycab ,Delton, Paramount, Havells, Empire	Mtr	250							
42	PVC insulated Aluminium conductor unarmoured cable size 4 core , 1.1 KV , 2.5 Sq. MM,	Finolex , Rallison , KEI, Plaza, RR, Unicab , Polycab ,Delton, Paramount, Havells, Empire	Mtr	250							
43	GI Earth Wire, Size-8 Swg	Any reputed make	Kg	500							
44	GI earth plate Size-2*2', thickness-6.00 mm	Any reputed make	Nos.	3							
45	GI Pipe Size 1".C class for Earthing work (6" x10)	Any reputed make	Nos.	10							
46	MCB four pole-63 Amps, 240/415 volts,c-type.	Schneider ,L&T , GE, Siemens, C&S , Havells , ABB, Legrand, Standard, HPL	Nos.	10							



61	LED tubelight fitting 9/10W, 240V AC complete, 2feet long	CG, BAJAJ , SURYA, PHILIPS, GE, HAVELLS, HPL, Lighting Science, Kesslec, Pyrotech, Wipro, Syska	Nos.	15							
62	LED tube light 20 watt , 230 volt AC Retrofit type , suited for installation in existing installed Philips make (2x40) watt tube light fitting of 4 feet length	CG, BAJAJ , SURYA, PHILIPS, GE, HAVELLS, HPL, Lighting Science, Kesslec, Pyrotech, Wipro, Syska	Nos.	150							
For items of serial no. 63 to 71	IP 66 protected , High power LED light fittings with pressure die cast aluminium housing , toughened glass diffuser with suitable lenses and water proof fixture , Driver efficiency more than 85 % , the system level luminarie efficiency >100 , LED driver input voltage AC 100-270 Volt with auto resetting safety cut off , Input frequency 50 Hz +/- 3%, Average rated life span 50000 hours. Light output : cool white colour , working temperature 20 to 50 degree centigrade , humidity 10 to 90 % RH , suitable surge protection , power factor greater than 0.95, Total Harmonic distortion less than 50 percent.										
63	LED street Light fitting 30/40 watt , 230 volt AC suited for installation on pipe	CG, BAJAJ , SURYA, PHILIPS, GE, HAVELLS, HPL, Lighting Science, Kesslec, Pyrotech, Wipro, Syska	Nos.	55							
64	LED street Light fitting 20/25 watt , 230 volt AC, suited for installation on pipe	CG, BAJAJ , SURYA, PHILIPS, GE, HAVELLS, HPL, Lighting Science, Kesslec, Pyrotech, Wipro, Syska	Nos.	40							
65	LED street Light fitting 120 watt , 230 volt AC, suited for installation on pipe	CG, BAJAJ , SURYA, PHILIPS, GE, HAVELLS, HPL, Lighting Science, Kesslec, Pyrotech, Wipro, Syska	Nos.	5							
66	LED Flood Light fitting 30/40 watt, 230 volt AC Clamp Mounting Type	CG, BAJAJ , SURYA, PHILIPS, GE, HAVELLS, HPL, Lighting Science, Kesslec, Pyrotech, Wipro, Syska	Nos.	20							
67	LED Flood light fittings 120 watt , 230 volt AC Clamp mounting type suitable for installation on flood light tower 18 meter	CG, BAJAJ , SURYA, PHILIPS, GE, HAVELLS, HPL, Lighting Science, Kesslec, Pyrotech, Wipro, Syska	Nos.	25							
68	LED Flood light fittings 200 watt , 230 volt AC Clamp mounting type suitable for installation on 20 meter high mast lighting tower	CG, BAJAJ , SURYA, PHILIPS, GE, HAVELLS, HPL, Lighting Science, Kesslec, Pyrotech, Wipro, Syska	Nos.	35							

69	LED Industrial high bay light fittings 120 watt , 230 volt AC corvus/ hemispherical hanging type	CG, BAJAJ , SURYA, PHILIPS, GE, HAVELLS, HPL, Lighting Science, Kesslec, Pyrotech, Wipro, Syska	Nos.	25							
70	LED tube light 9/10 watt , 230 volt AC retrofit type , suited for installation in existing installed Philips/CGL make tube light fitting 20 watt in 2 feet length	CG, BAJAJ , SURYA, PHILIPS, GE, HAVELLS, HPL, Lighting Science, Kesslec, Pyrotech, Wipro, Syska	Nos.	10							
71	LED flood light fitting 350 watt , 230 V AC clamp mounting type suitable for installation on 20 meter HMLT	CG, BAJAJ , SURYA, PHILIPS, GE, HAVELLS, HPL, Lighting Science, Kesslec, Pyrotech, Wipro, Syska	Nos.	10							
72	HRC Fuse 16 Ampere ,660 volt , Round Shape TIA type of GE make or equivalent	L&T , GE, Siemens, C&S , Havells , Bussman , BCH , ABB	Nos.	25							
73	HRC Fuse 16 Ampere ,415 volt , Round Shape EIT compact type of GE make or equivalent	L&T , GE, Siemens, C&S , Havells , Bussman , BCH , ABB	Nos.	15							
74	HRC Fuse 25 Ampere , 660 volt , Round shape TIA type of GE make or equivalent	L&T , GE, Siemens, C&S , Havells , Bussman , BCH , ABB	Nos.	25							
75	HRC Fuse 25 Ampere ,415 volt , Round shapeEIT compact of GE make or equivalent	L&T , GE, Siemens, C&S , Havells , Bussman , BCH , ABB	Nos.	15							
76	HRC Fuse 32 Ampere ,660 volt ,Round Shape TIA type of GE make or equivalent	L&T , GE, Siemens, C&S , Havells , Bussman , BCH , ABB	Nos.	20							
77	HRC Fuse 32 Ampere , 415 volt ,Round Shape EIT compact of GE make or equivalent	L&T , GE, Siemens, C&S , Havells , Bussman , BCH , ABB	Nos.	12							



78	HRC Fuse ,63 Ampere ,660 volt Round Shape TIS Type of GE make or equivalent	L&T , GE, Siemens, C&S , Havells , Bussman , BCH , ABB	Nos.	24							
79	HRC Fuse ,63 Ampere ,415 volt Round Shape TSS Type of GE make or equivalent	L&T , GE, Siemens, C&S , Havells , Bussman , BCH , ABB	Nos.	12							
80	HRC Fuse 2 Ampere , 415 volt Round Shape staggered tag type of GE make or equivalent	L&T , GE, Siemens, C&S , Havells , Bussman , BCH , ABB	Nos.	25							
81	HRC Fuse , 4 Ampere, 415 volt , Round shape NS offset Type of GE make or equivalent	L&T , GE, Siemens, C&S , Havells , Bussman , BCH , ABB	Nos.	25							
82	HRC Fuse , 6 Ampere, 415 volt , Round shape NS offset Type of GE make or equivalent	L&T , GE, Siemens, C&S , Havells , Bussman , BCH , ABB	Nos.	15							
83	HRC Fuse , 32 Ampere, 415 volt , offset tag Type EIT of GE make or equivalent	L&T , GE, Siemens, C&S , Havells , Bussman , BCH , ABB	Nos.	8							
84	HRC Fuse , 63 Ampere, 415 volt , offset tag Type EIT of GE make or equivalent	L&T , GE, Siemens, C&S , Havells , Bussman , BCH , ABB	Nos.	20							
85	HRC Fuse , 125 Ampere, 415 volt , offset tag Type TSDS of GE make or equivalent	L&T , GE, Siemens, C&S , Havells , Bussman , BCH , ABB	Nos.	5							
86	HRC Fuse base with grip Bakelite 100 Ampere for offset tag round HRC fuse	L&T , GE, Siemens, C&S , Havells , Bussman , BCH , ABB	Nos.	6							
87	HRC Fuse base with grip Bakelite 63 Ampere for offset tag round HRC fuse	L&T , GE, Siemens, C&S , Havells , Bussman , BCH , ABB	Nos.	6							

88	HRC fuse link 200 ampere , 415 volt size B2 , central tag type STF 200 Ampere standard make or equivalent	L&T , GE, Siemens, C&S , Havells , Bussman , BCH , ABB	Nos.	10								
89	HRC fuse link 100 ampere , 415 volt size B2 , central tag type STF 100 Ampere standard make or equivalent	L&T , GE, Siemens, C&S , Havells , Bussman , BCH , ABB	Nos.	8								
90	HRC Fuse , 6 Ampere, 415 volt , Round shape , NS offset Type type of GE make or equivalent	L&T , GE, Siemens, C&S , Havells , Bussman , BCH , ABB	Nos.	25								
91	HRC Fuse , 10 Ampere, 415 volt , Round shape NS offset Type of GE make or equivalent	L&T , GE, Siemens, C&S , Havells , Bussman , BCH , ABB	Nos.	50								
92	HRC Fuse link , 125 Ampere , 415 volt , offset tag type TSDS of GE make or equivalent	L&T , GE, Siemens, C&S , Havells , Bussman , BCH , ABB	Nos.	5								
93	HRC Fuse , 16 Ampere , 415 volt , Round shape NS offset Type of GE make or equivalent	L&T , GE, Siemens, C&S , Havells , Bussman , BCH , ABB	Nos.	50								
94	HRC Fuse 2 Ampere , 415 volt , Round Shape HF Type of L&T make or equivalent	L&T , GE, Siemens, C&S , Havells , Bussman , BCH , ABB	Nos.	50								
95	HRC Fuse 4 Ampere , 415 volt , Round Shape , HF Type of L&T make or equivalent	L&T , GE, Siemens, C&S , Havells , Bussman , BCH , ABB	Nos.	25								
96	HRC Fuse 6 Ampere , 415 volt , Round shape , HF Type of L&T make or equivalent	L&T , GE, Siemens, C&S , Havells , Bussman , BCH , ABB	Nos.	25								

97	HRC Fuse 10 Ampere , 415 volt , Round shape , HF Type of L&T make or equivalent	L&T , GE, Siemens, C&S , Havells , Bussman , BCH , ABB	Nos.	50							
98	HRC Fuse 16 Ampere , 415 volt , Round shape , HF Type of L&T make or equivalent	L&T , GE, Siemens, C&S , Havells , Bussman , BCH , ABB	Nos.	50							
99	HRC Fuse 25 Ampere , 415 volt , Round shape , HF Type of L&T make or equivalent	L&T , GE, Siemens, C&S , Havells , Bussman , BCH , ABB	Nos.	25							
100	HRC Fuse 32 Ampere , 415 volt , Round shape , HF Type of L&T make or equivalent	L&T , GE, Siemens, C&S , Havells , Bussman , BCH , ABB	Nos.	50							
101	HRC Fuse 63 Ampere , 415 volt , Round shape , HF Type of L&T make or equivalent	L&T , GE, Siemens, C&S , Havells , Bussman , BCH , ABB	Nos.	25							
102	HRC Fuse , 6 Ampere , voltage 415 volt , EIT Type Round Shape of GE make or equivalent	L&T , GE, Siemens, C&S , Havells , Bussman , BCH , ABB	Nos.	25							
103	HRC Fuse 10 Ampere , 415 volt , EIT Type of GE make or equivalent	L&T , GE, Siemens, C&S , Havells , Bussman , BCH , ABB	Nos.	25							
104	HRC Fuse 63 Ampere , 415 volt , EIT Type of GE make or equivalent	L&T , GE, Siemens, C&S , Havells , Bussman , BCH , ABB	Nos.	25							
105	HRC Fuse, 100 Ampere , 415 volt , TSDC Central Tag Type of GE make or equivalent	L&T , GE, Siemens, C&S , Havells , Bussman , BCH , ABB	Nos.	35							
106	HRC Fuse 200 Ampere , 415 volt , TSF Central Tag Type of GE make or equivalent	L&T , GE, Siemens, C&S , Havells , Bussman , BCH , ABB	Nos.	9							

107	HRC Fuse 125 Ampere , 415 volt , TSF Central Tag Type of GE make or equivalent	L&T , GE, Siemens, C&S , Havells , Bussman , BCH , ABB	Nos.	25								
108	HRC Fuse 250 Ampere , 415 volt , TSK Central Tag Type of GE make or equivalent	L&T , GE, Siemens, C&S , Havells , Bussman , BCH , ABB	Nos.	35								
109	HRC Fuse 25 Ampere , 415 volt square shape size 00	L&T , GE, Siemens, C&S , Havells , Bussman , BCH , ABB	Nos.	50								
110	HRC Fuse 32 Ampere , 415 volt square shape size 00	L&T , GE, Siemens, C&S , Havells , Bussman , BCH , ABB	Nos.	50								
111	HRC Fuse 50 Ampere , 415 volt square shape size 00	L&T , GE, Siemens, C&S , Havells , Bussman , BCH , ABB	Nos.	50								
112	HRC Fuse 63 Ampere , 415 volt square shape size 00	L&T , GE, Siemens, C&S , Havells , Bussman , BCH , ABB	Nos.	65								
113	HRC Fuse 100 Ampere , 415 volt square shape size 00	L&T , GE, Siemens, C&S , Havells , Bussman , BCH , ABB	Nos.	50								
114	HRC Fuse 125 Ampere , 415 volt square shape size 00	L&T , GE, Siemens, C&S , Havells , Bussman , BCH , ABB	Nos.	50								
115	HRC Fuse 250 Ampere , 415 volt square shape size 2	L&T , GE, Siemens, C&S , Havells , Bussman , BCH , ABB	Nos.	10								
116	HRC Fuse 250 Ampere , 415 volt square shape size 3	L&T , GE, Siemens, C&S , Havells , Bussman , BCH , ABB	Nos.	25								
117	HRC Fuse , 400 Ampere , 415 volt , Square Shape Type IEC size 3	L&T , GE, Siemens, C&S , Havells , Bussman , BCH , ABB	Nos.	30								
118	HRC Fuse , 315 Ampere , 415 volt , square shape type IEC size 3	L&T , GE, Siemens, C&S , Havells , Bussman , BCH , ABB	Nos.	10								

119	HT HRC Fuse 6.3 Ampere , 11 KV , 40 Kamp , type H3CAS of GE make or equivalent	L&T , GE, Siemens, C&S , Havells , Bussman , BCH , ABB	Nos.	5						
120	HT HRC Fuse 100 Ampere , 3.3/6.6 KV ,offset tag type Model No. K81PEX of EE make or equivalent	L&T , GE, Siemens, C&S , Havells , Bussman , BCH , ABB	Nos.	5						
121	Drop out fuse Element for 11 KV , 10 Ampere	Any reputed make	Nos.	10						
122	Drop out fuse Element for 11 KV , 15 Ampere	Any reputed make	Nos.	10						
123	Drop out fuse Element for 11 KV , 20 Ampere	Any reputed make	Nos.	20						
124	Drop out fuse Element for 11 KV , 30 Ampere	Any reputed make	Nos.	50						
125	Drop out fuse Element for 11 KV , 40 Ampere	Any reputed make	Nos.	30						
126	Drop out fuse Element for 11 KV , 60 Ampere	Any reputed make	Nos.	50						
127	Drop out fuse Element for 11 KV , 75 Ampere	Any reputed make	Nos.	10						
128	Wall fan, Sweep-400mm, Single phase 230V AC, 50Hz , No of blade-3, 3-speed, Motor type-high speed, pull chord to operate fan, with complete accessories i.e. mounting kit ,	Orient , Bajaj , Havells , CGL , Almonard , Polar , Usha , Remi, Khaitan	Nos.	5						
129	Exhaust fan Single phase 230VAC, 50Hz, Sweep-300mm, Metal body with all accessories for mounting.	Orient , Bajaj , Havells , CGL , Almonard , Usha , Khaitan	Nos.	3						
130	Exhaust fan Single phase 230VAC, 50Hz, Sweep-380 mm, Metal body with all accessories for mounting.	Orient , Bajaj , Havells , CGL , Almonard , Usha , Khaitan	Nos.	10						

131	Exhaust fan Single phase 240VAC, 50Hz, Sweep-450 mm, Metal body with all accessories for mounting.	Orient , Bajaj , Havells , CGL , Almonard , Usha , Khaitan	Nos.	4						
132	Cable End termination kit for 3core XLPE cable 3X95 Sqmm, Heat shrinkable type, ISI mark.	3M , M-seal , Raychem , Denson, Cabseal	Nos.	8						
133	Flexible cable repair and jointing kit Resin Type for ATC Trailing cable rated 1.1 KV power cable 50 square mm having 6 core of overall size (3 x 50 + 3 x 50/3 ) square mm and overall outer cable diameter 50 mm.	3M , M-seal , Raychem , Denson, Cabseal	Nos.	1						
134	Flexible cable repair and jointing kit Resin Type for ATC Trailing cable rated 1.1 KV power cable 95 square mm having 6 core of overall size (3 x 95 + 3 x 95/3 ) square mm and overall outer cable diameter 58 mm.	3M , M-seal , Raychem , Denson, Cabseal	Nos.	1						

- Note:** (i) Tenderers may offer more than one make for any item/s as per acceptable makes mentioned in tender, however, requested to quote a single price for the particular items in BOQ only. Prices are not to be quoted in this annexure.
- (ii) The above mentioned quantities are indicative & tentative only and may vary time to time at the absolute discretion of the company. No guarantee regarding annual, monthly, weekly or daily quantity can be given.

Signature with Office Seal of the tenderer.

Place & Date